

# Safety Data Sheet

according to UK REACH Regulation

## Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Sigel GL185 / GL285 Reinigungstücher

#### Further trade names

Product group: Zulieferprodukt

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

SU21 Verbraucherverwendungen: Private Haushalte (= Allgemeinheit = Verbraucher)  
SU22 Gewerbliche Nutzungen: öffentlich zugänglich (Verwaltung, Bildung, Unterhaltung, Dienstleistungen, Handwerker)  
PC35 Wasch- und Reinigungsmittel (einschließlich Produkte auf Lösungsmittelbasis)  
PROC10 Auftragen durch Rollen oder Streichen  
ERC11B Breite dispersive Innenverwendung von langlebigen Artikeln und Materialien mit hohem oder beabsichtigte Freisetzung (einschließlich abrasiver Verarbeitung).  
SU21 Consumer uses: Private households (= general public = consumers)  
SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen)  
PC35 Washing and cleaning products (including solvent based products)  
PROC10 Roller application or brushing  
ERC11B Wide dispersive indoor use of long-life articles and materials with high or intended release (including abrasive processing)  
SU21 Usages consommateurs : Ménages privés (= grand public = consommateurs)  
SU22 Usages professionnels : accessibles au public (administration, éducation, animations, services, artisans)  
PC35 Produits de lavage et de nettoyage (y compris les produits à base de solvants)  
PROC10 Application au rouleau ou au pinceau  
ERC11B Utilisation intérieure à grande dispersion d'articles et de matériaux à longue durée de vie ou rejet prévu (y compris le traitement abrasif)

##### Uses advised against

No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Company name: ITW LLC & Co. KG  
Street: Am Eichenbach 14  
Place: D-73054 Eisingen/Fils  
Telephone: +49 800 6273002  
e-mail: info@itwcp.de  
Internet: itwcp.de  
Responsible Department: Produktsicherheit Mo. - Do. 8.00 - 16.30 Fr. 8.00 - 14.00  
Swiss Toxicological Information Centre - Téléphone : +41 44 251 51 51 (in Switzerland dial 145)  
United Kingdom : National Poisons Information Service - Phone number : 8448920111  
Österreich : Vergiftungsinformationszentrale Vienna - Telefon-Nummer : +43 1 406 43 43  
Schweiz : Tox Info Suisse - Telefon-Nummer : +41 44 251 51 51  
España : Instituto Nacional de Toxicología - Teléfono : +34 91 562 04 20  
România (Romania): Spitalul de Urgenta Floreasca 021 230 8000  
Deutschland: ++49 800 6273002

#### 1.4. Emergency telephone number:

# Safety Data Sheet

according to UK REACH Regulation

## Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 2 of 9

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

#### 2.2. Label elements

##### GB CLP Regulation

##### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

##### Additional advice on labelling

@000000000392

#### 2.3. Other hazards

The product contains organic solvents.

This product does not contain any PBT or vPvB substances.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			1 - 10 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether			1 - 10 %
	203-905-0	603-014-00-0		
	Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H331 H302 H315 H319			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
111-76-2	203-905-0	2-butoxyethanol; ethylene glycol monobutyl ether	1 - 10 %
	inhalation: ATE 3 mg/l (vapours); oral: ATE 1200 mg/kg		

##### Further Information

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents:

&lt;1% Perfume

The full text for all hazard statements is displayed in section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Remove contaminated clothing immediately and dispose off safely.

##### After inhalation

Provide fresh air.

## Safety Data Sheet

according to UK REACH Regulation

### Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 3 of 9

#### After contact with skin

Take off contaminated clothing and wash it before reuse. Wash with plenty of water. Frequently or prolonged contact with skin may cause dermal irritation. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Seek medical advice immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

##### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: hydrocarbons. Carbon monoxide Carbon dioxide.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Move undamaged containers from immediate hazard area if it can be done safely.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Remove all sources of ignition. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Provide adequate ventilation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

## Safety Data Sheet

according to UK REACH Regulation

### Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 4 of 9

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed in a cool, well-ventilated place. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air. Protect against: heat.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

Provide fresh air. Keep out of the reach of children.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from direct sunlight.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### Further information on storage conditions

Keep in a cool, well-ventilated place.

### 7.3. Specific end use(s)

SU21 Consumer uses: Private households (= general public = consumers)

SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen)

PC35 Washing and cleaning products (including solvent based products)

PROC10 Roller application or brushing

ERC11B Wide dispersive indoor use of long-life articles and materials with high or intended release (including abrasive processing)

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

#### Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

### 8.2. Exposure controls

# Safety Data Sheet

according to UK REACH Regulation

## Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 5 of 9



### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection. Tightly sealed safety glasses.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Frequently or prolonged contact with skin may cause dermal irritation.

Wear suitable gloves.

#### Skin protection

Use of protective clothing. Body protection: not required.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

#### Environmental exposure controls

Do not empty into drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	transparent
Odour:	characteristic

	Test method
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not determined
Flash point:	61 °C ASTM D 3278
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined ASTM D 2879-86
pH-Value (at 20 °C):	7
Viscosity / kinematic:	ISO 3219
Water solubility:	easily soluble
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Density (at 20 °C):	0,98 g/cm <sup>3</sup>
Relative vapour density:	not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive. No data available

##### Oxidizing properties

No data available

#### Other safety characteristics

# Safety Data Sheet

according to UK REACH Regulation

## Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 6 of 9

Evaporation rate: not determined

Solid content: not determined

Softening point: DIN 51920

**Further Information**

refraction index: 1,34-1,35

### SECTION 10: Stability and reactivity

**10.1. Reactivity**

Flammable. No data available

**10.2. Chemical stability**

No data available

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

**10.5. Incompatible materials**

Oxidizing agents, strong. Acid, concentrated.

**10.6. Hazardous decomposition products**

No data available

### SECTION 11: Toxicological information

**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) 30000,0 mg/kg; ATE (inhalation vapour) 75,00 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether				
	oral	ATE 1200 mg/kg			
	inhalation vapour	ATE 3 mg/l			

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

No information available.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 7 of 9

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 mg/l	1490	96 h	Lepomis macrochirus	

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether	0,81 (25°C)

### 12.4. Mobility in soil

No adsorption in soil or sediment.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No

### 12.7. Other adverse effects

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### Further information

Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

#### List of Wastes Code - used product

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

#### List of Wastes Code - contaminated packaging

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## Safety Data Sheet

according to UK REACH Regulation

### Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 8 of 9

#### SECTION 14: Transport information

##### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

##### 14.7. Maritime transport in bulk according to IMO instruments

Not restricted

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

2010/75/EU (VOC): 4 % (39,2 g/l)

2004/42/EC (VOC): 4 % (39,2 g/l)

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

###### Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

###### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

##### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

##### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



## Safety Data Sheet

according to UK REACH Regulation

### Sigel GL185 / GL285 Reinigungstücher

Revision date: 24.02.2023

Product code: L03000000094\_wipes

Page 9 of 9

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
EUH210	Safety data sheet available on request.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

@000000000012

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*