

according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sigel BA140 / BA140 Reingungsspray

Further trade names

Product group: Zulieferprodukt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

SU21 Verbraucherverwendungen: Private Haushalte (= Allgemeinheit = Verbraucher)

SU22 Gewerbliche Nutzungen: öffentlich zugänglich (Verwaltung, Bildung,

Unterhaltung, Dienstleistungen, Handwerker)

PC35 Wasch- und Reinigungsmittel (einschließlich Produkte auf Lösungsmittelbasis)

PROC10 Auftragen durch Rollen oder Streichen

ERC11B Breite dispersive Innenverwendung von langlebigen Artikeln und Materialien mit hohem

oder beabsichtigte Freisetzung (einschließlich abrasiver Verarbeitung). SU21 Consumer uses: Private households (= general public = consumers) SU22 Professional uses: publicly accessible (administration, education,

entertainment, services, craftsmen)

PC35 Washing and cleaning products (including solvent based products)

PROC10 Roller application or brushing

ERC11B Wide dispersive indoor use of long-life articles and materials with high

or intended release (including abrasive processing

SU21 Usages consommateurs : Ménages privés (= grand public = consommateurs) SU22 Usages professionnels : accessibles au public (administration, éducation,

animations, services, artisans)

PC35 Produits de lavage et de nettoyage (y compris les produits à base de solvants)

PROC10 Application au rouleau ou au pinceau

ERC11B Utilisation intérieure à grande dispersion d'articles et de matériaux à longue durée de vie ou rejet prévu (y compris le traitement abrasif

Uses advised against

No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Company name: ITW LLC & Co. KG
Street: Am Eichenbach 14
Place: D-73054 Eislingen/Fils
Telephone: +49 800 6273002
e-mail: info@itwcp.de
Internet: itwcp.de

Responsible Department: Produktsicherheit Mo. - Do. 8.00 - 16.30 Fr. 8.00 - 14.00

Swiss Toxicological Information Centre - Téléphone : +41 44 251 51 51 (in

Switzerland dial 145)

United Kingdom: National Poisons Information Service - Phone number:

8448920111

Österreich: Vergiftungsinformationszentrale Vienna - Telefon-Nummer: +43 1

406 43 43

Schweiz : Tox Info Suisse - Telefon-Nummer : +41 44 251 51 51 España : Instituto Nacional de Toxicología - Teléfono : +34 91 562 04 20 România (Romania): Spitalul de Urgenta Floreasca 021 230 8000

1.4. Emergency telephone Deutschland: ++49 800 6273002

number:



according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 2 of 9

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

Additional advice on labelling

@00000000392

2.3. Other hazards

The product contains organic solvents.

This product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
_	EC No	Index No		REACH No	
	Classification (GB CLP Regulation)				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336				
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether				
	203-905-0	603-014-00-0			
	Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H331 H302 H315 H319				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	C No Chemical name	
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE	
111-76-2	203-905-0 2-butoxyethanol; ethylene glycol monobutyl ether		1 - 10 %
	inhalation: ATE 3 mg/l (vapours); oral: ATE 1200 mg/kg		

Further Information

Regulation (EC) No 648/2004 of the European Parliament and of the Council of

31 March 2004 on detergents:

<1% Perfume

The full text for all hazard statements is displayed in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediatley and dispose off safely.

After inhalation

Provide fresh air.



according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 3 of 9

After contact with skin

Take off contaminated clothing and wash it before reuse. Wash with plenty of water. Frequently or prolonged contact with skin may cause dermal irritation. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: hydrocarbons. Carbon monoxide Carbon dioxide.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Move undamaged containers from immediate hazard area if it can be done safely.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Provide adequate ventilation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8



according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 4 of 9

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed in a cool, well-ventilated place. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Protect against: heat.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product. Provide fresh air. Keep out of the reach of children.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from direct sunlight.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep in a cool, well-ventilated place.

7.3. Specific end use(s)

SU21 Consumer uses: Private households (= general public = consumers)

SU22 Professional uses: publicly accessible (administration, education,

entertainment, services, craftsmen)

PC35 Washing and cleaning products (including solvent based products)

PROC10 Roller application or brushing

ERC11B Wide dispersive indoor use of long-life articles and materials with high

or intended release (including abrasive processing

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter		Test material	Sampling time
111-76-2	,	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

8.2. Exposure controls



according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Product code: L03000000094 Revision date: 22.02.2023 Page 5 of 9



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Frequently or prolonged contact with skin may cause dermal irritation. Wear suitable gloves.

Skin protection

Use of protective clothing. Body protection: not required.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: transparent Odour: characteristic

Test method

Melting point/freezing point: not determined Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: not determined

Flash point: 61 °C ASTM D 3278

Auto-ignition temperature: not determined

Decomposition temperature: not determined ASTM D 2879-86

pH-Value (at 20 °C):

Viscosity / kinematic: ISO 3219

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Density (at 20 °C): 0,98 g/cm³ Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. No data available

Oxidizing properties No data available

Other safety characteristics



according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 6 of 9

Evaporation rate: not determined Solid content: not determined

Softening point: DIN 51920

Further Information refraction index: 1,34-1,35

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable. No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Oxidizing agents, strong. Acid, concentrated.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 30000,0 mg/kg; ATE (inhalation vapour) 75,00 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether				
	oral	ATE 1200 mg/kg			
	inhalation vapour	ATE 3 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. No information available.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 7 of 9

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 1490 mg/l	96 h	Lepomis macrochirus		

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether	0,81 (25°C)

12.4. Mobility in soil

No adsoption in soil or sediment.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No

12.7. Other adverse effects

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

List of Wastes Code - used product

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

List of Wastes Code - contaminated packaging

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

Print date: 22.02.2023



Safety Data Sheet

according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 8 of 9

SECTION 14: Transport information

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.7. Maritime transport in bulk according to IMO instruments

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

2010/75/EU (VOC): 4 % (39,2 g/l) 2004/42/EC (VOC): 4 % (39,2 g/l)

Information according to 2012/18/EU F

P5c FLAMMABLE LIQUIDS

(SEVESO III):

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



according to UK REACH Regulation

Sigel BA140 / BA140 Reingungsspray

Revision date: 22.02.2023 Product code: L03000000094 Page 9 of 9

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
------	-------------------------------------

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness. EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

@000000000012

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)